Appendix 1 - Clean Version of all Pending Claims

 (Amended) An agrochemical composition comprising an agrochemical active ingredient and an adjuvant of formula (I) or salts thereof

$$X-(R^3O)_a - R^4-N R^2R^1$$
 (I)

wherein R^1 and R^2 are independently hydrogen or a lower alkyl group or a group X'- $(R^3O)_a$ - R^4 wherein R^3 and R^4 respectively may take any of the values of R^3 and R^4 as hereinafter defined and wherein X' is –OH or a lower alkoxy group containing from 1 to 6 carbon atoms and a' is from 0 to 400

 R^3O is an ethoxy, propoxy or butoxy group or a random or block mixture thereof, R^4 is a linear or branched chain alkylene bridging group containing from 1 to 4 carbon atoms, X

is

(IA) –OH or a lower alkoxy group containing from 1 to 6 carbon atoms or X is
(IB) a group R⁵R⁶N- or R⁵R⁶N-R⁷-

wherein R^5 or R^6 are independently hydrogen or a lower alkyl group or a group X'- $(R^3O)_a$ $-R^4$ – as hereinbefore defined wherein X' is –OH or a lower alkoxy group containing from 1 to 6 carbon atoms,

and R⁷ is a linear or branched chain alkylene bridging group containing from 1 to 4 carbon atoms

or X is

(IC) a group

$$CR^{16}R^{17} - O$$

$$[CR^{18} - (R^{21})_d - O - (R^8O)_b - R^9 - NR^{10}R^{11}]$$

$$CR^{19}R^{20} - O - (R^{12}O)_c - R^{13} - NR^{14}R^{15}$$



wherein R^{10} , R^{11} , R^{14} and R^{15} are independently hydrogen or a lower alkyl group or a group X' - $(R^3O)_a$ - R^4 – as hereinbefore defined wherein X' is –OH or a lower alkoxy group containing from 1 to 6 carbon atoms,

M

and R⁸ and R¹² are independently alkyl groups containing from 1 to 4 carbon atoms and R⁹, R¹³ and R²¹ are independently a linear or branched chain alkylene bridging group containing from 1 to 6 carbon atoms, R¹⁶, R¹⁷, R¹⁸, R¹⁹ and R²⁰ are independently hydrogen or a lower alkyl group and d is 0 or 1

and wherein a, is from 1 to 400 or if X is of formula IC, the sum of a, b and c is from 3 to 400.

2. A composition according to claim 1 wherein

X is -OH or a lower alkoxy group containing from 1 to 4 carbon atoms or

X is R⁵R⁶N- wherein R5 and R6 are hydrogen or a lower alkyl group containing from 1 to 4 carbon atoms or

X is a group of formula IC'

CH2 - O-

$$CR^{18} - (R^{21})_d - O - (R^8O)_b - R^9 - NH_2$$

$$C H_2 - O - (R^{12}O)_c - R^{13} - NH_2$$

wherein R⁸O and R¹²O are independently ethoxy, or propoxy or a random or block mixture thereof, R⁹ and R¹³ are independently a linear or branched chain alkylene bridging group containing 2 or 3 carbon atoms, R²¹ is a linear or branched chain alkylene bridging group containing from 1 to 3 carbon atoms, R¹⁸ is hydrogen or lower alkyl containing from 1 to 4 carbon atoms, d is 0 or 1,

R¹ and R² are independently hydrogen or a lower alkyl group containing from 1 to 4 carbon atoms, R³O is ethoxy, or propoxy or a random or block mixture thereof, R⁴ is a linear or branched chain alkylene bridging group containing 2 or 3 carbon atoms and a is from 1 to 400 or if X is of formula IC¹, the sum of a, b and c is from 3 to 400.

- 4. (Amended) A composition according to claim 1 wherein the adjuvant of formula (I) is an alkoxylated monoamine, having the formula II

wherein the average degree of ethoxylation (x) is from 0 to about 45 and the average degree of propoxylation (y) is from 0 to about 90 provided that x and y are not both 0 at the same time.

- 5. A composition according to claim 4 wherein the value of x is from 0 to about 20 and of y is from about 2 to about 30.
- 6. (Amended) A composition according to claim 1 wherein the compound of formula (I) is a diamine having a formula (III)

$$H_{2}N\text{-}(CH(CH_{3})\text{-}CH_{2}\text{-}O)_{w} -\!CH_{2}\text{-}CH(CH_{3})\text{-}NH_{2} \quad (III)$$

wherein w is an average of from about 1 to about 80.

- 7. A composition according to claim 6 wherein w is an average of from about 2 to about 35.
- 8. A composition according to claim 1 wherein the compound of formula (I) is a diamine having a formula (IV)

$$H_2N-(CH(CH_3)-CH_2-O)_r-(CH_2CH_2-O)_s-(CH_2-CH(CH_3)-O-)_t-CH_2-CH(CH_3)NH_2$$
 (IV)

wherein the sum of r + t is an average of from 1 to 20 propoxy groups and s is an average of from 2 to 50 ethoxy units.

- 9. A composition according to claim 8 wherein the sum of r + t is from about 2 to about 15 and s is from about 3 to about 20.
- 10. A composition according to claim 1 wherein the compound of formula (I) is a propoxylated triamine having the formula (V)

$$CH_2$$
 - O - $(CH_2$ - $CH(CH_3)$ - $O)_d$ - CH_2 CH (CH_3) - NH_2

$$CR^{22} - (R^{21})_d - O - (CH_2 - CH(CH_3) - O)_e - CH_2CH(CH_3) - NH_2 \quad (V)$$

$$CH_2 - O - (CH_2 - CH(CH_3) - O)_f - CH_2CH(CH_3) - NH_2$$

wherein the sum of d + e + f is an average of from about 5 to 90, R^{22} is hydrogen or lower alkyl containing 1 to 4 carbon atoms, R^{21} is a linear or branched chain alkylene bridging group containing 1 to 3 carbon atoms and d is 0 or 1.

- 11. (Amended) A composition according to claim 1 wherein the proportion of adjuvant of formula (I) or salt thereof to the agrochemical active ingredient is from 1:20 to 3:1 by weight.
- 12. (Amended) A composition according to claim 1 wherein the adjuvant of formula (I) or salt thereof is used in combination with an alkylpolyglycoside surfactant.
- 13. A composition according to claim 12 wherein the ratio of the adjuvant of formula (I) to the alkylpolyglycoside surfactant is from 1:40 to 4:1.
- 14. (Amended) A composition according to claim 1 wherein the agrochemical active ingredient is a salt of glyphosate, a salt of fomesafen or a parquat salt.

AY

- 15. (Amended) A composition according to claim 1 wherein the adjuvant of formula (I) is used in the form of a salt with glyphosate or a salt with an acidic surfactant.
- 16. A process of severely damaging or killing unwanted plants which process comprises applying to the plants or to the growth medium of the plants, a herbicidally effective amount of a composition as claimed in claim 14.

AS

- 17. (Amended) A composition according to claim 1 which is an aqueous composition containing from 0.01% to 90% by weight of the agrochemical active ingredient.
- 18. (New) A composition according to claim 2 wherein a is from 1 to 50 or if X is of formula IC or IC' respectively, the sum of a, b and c is from 3 to 90 and wherein in the group X'- $(R^3O)_a R^4 \text{if present, a is from 0 to 50.}$